


Tech Pack	Production with new Care Format
Description	Production F24 and newer

Message

RSL: It is expected that all goods produced for Carhartt comply fully with the Restricted Substances List (RSL) published by the Apparel and Footwear International RSL Management Group. The AFIRM RSL is available at the link below. If you should have any concerns in meeting this product specification, please discuss with the Carhartt Development Team, Fabric and Testing Manager, Quality Manager, or Sourcing Manager. <https://www.afirm-group.com/afirm-rsl/>

Properties



Style #	104394	Category	Outerwear	Fit	Relaxed Fit
Style Description	Relaxed Fit Washed Duck Sherpa-Lined Vest	Designer	Jillian Schopieray	Washed	✓
Model #	OV4394-M	Product Developer	Carly Wright	FR	
Non-Stock/Mainline Reference		Technical Designer	Christina Dermyre	ANSI	
Season	2025 Spring	Active Colorways	BLK-Black, DWD-Driftwood	ATPV	
Development Type	Carryover	Resource		CAT Rating	
Department	Men's	Product Improvement/Roll Change		EBT	

Documents

Image										Document Type
<div style="border: 1px solid black; padding: 10px;"> <p>WET PROCESS FORMULA carhartt </p> <p style="text-align: right;">Date: 3/12/2019</p> <hr/> <p>Program Name: A/G Washed Duck Wash Formula</p> <p>Fabric Component #: DU010- 12oz Soft Duck - 100% cotton</p> <p>Color: BLK-Black, DKB-Dark Brown, MOS-Moss, GVL-Gravel, NVY2-Navy 2, BRN-Carhartt Brown</p> <p>Carhartt Style #: 104026/104049/104244</p> <p>Wash Factory Name: Aurora/ Nha Be Laundry Co., Ltd</p> <p>Load Size: _____</p> <p>Load Weight: 1.2 kg</p> <p>Units: _____</p> </div>										Style Wash Formula
Step	Step Name	Time	pH	Temp.	Water Level	Liters	Chemistry	Amount	% owg	Comments
1	Rinse wash + Softener.	20 mins	7	30	50	0				

v. 04.18

Displaying 1 - 1 of 12 results

Documents

Image						Document Type	
 <h2 style="margin: 0;">WASH FORMULA - (W/DRY PROCESS IF APPLICABLE)</h2>						Style Wash Formula	
COMPONENT# / MILL:			DATE: 5/31/18				
WASH NAME :			STYLE :				
LAUNDRY FACILITY: DFC							
MACHINE: 450			COLOR:				
FABRIC DESCRIPTION:			LOAD SIZE : 220 Lb				
FORMULA NAME :			GARMENTS PER LOAD :				
STEP	OPERATION	WATER LEVEL (LTS)	TEMP. CELCIUS	TIME (MIN)	SUPPLIES		AMOUNT (GRS)
1	DESIZE	1800	80 F	0.5	DISPERSANT		665 ml
					DESIZE AGENT		300 ml
2				0.5	SOFTENER	460 ml	
					POLY BLOCKER	140 ml	
3	DESIZE	1200	80 F	5	•	•	
4	EXTRACT	•	•	•	•	•	
Styles used on:							


Displaying 2 - 2 of 12 results

Documents


Image										Document Type
<p>WET PROCESS FORMULA</p> 										Style Wash Formula
Date:										09/12/2018
Program Name:										
Fabric Component #:										DU010
Color:										Black/Driftwood/ Dark brown
Carhartt Style #:										104394
Wash Factory Name:										SHAHI EXPORTS PVT LTD
Load Size:										
Load Weight:										
Units:										
Step	Step Name	Time	pH	Temp.	Water Level (LTS)	Chemistry	Amount	% owg	Comments	
1	Prewash	2	7	95	40	WETTING AGENT	10GR	0.20%		
2	Rinse	3			80					
4	Softener	15	6	110	60	ACETIC ACID CATIONIC SOFTENER	15GR 200GR	0.3% 4%		
6	Extract									
		20			180					

Displaying 3 - 3 of 12 results


Documents

Image	Document Type
<p>NECKLINE</p> <ul style="list-style-type: none"> - Neck edge is clean finished with sherpa lining. - Topstitch at 1/4" from edge. <p>SHOULDER:</p> <ul style="list-style-type: none"> - Topstitched on front panel side of seam - 3 Needle Chainstitched, needle spacing: 5/16" <p>ZIPPER SET</p> <ul style="list-style-type: none"> - Center front zipper placket. - 1 Needle Lockstitch (ISO #301) each side, placed at 1/4" from edge. - Zipper teeth are exposed. - Zipper tape end is between shell and lining seam at top, end of tape is not exposed. - Zipper set maximum 1/2" above bottom hem edge, and 1/4" down from neckline seam. - Vertical bartacks are placed on topstitching at top and bottom of zipper tape  <p>Curved edges:</p> <ul style="list-style-type: none"> - All curved edges must lay flat with no bunching or stretching. Clip or grade seams as necessary. <p>Interfacing locations:</p> <ul style="list-style-type: none"> Pocket opening hems Neckline Interior pocket welt Front & back bottom hem facing <p>*Shell side seams and shoulder seams are either felled or mock felled. Lining seams are safety stitched.</p> <p>SIDE SEAMS</p> <ul style="list-style-type: none"> - Shell side seams are 3 needle topstitched. 	<p>Style Illustrated Details</p>
<p>Displaying 4 - 4 of 12 results</p>	


Documents

Image	Document Type
<p data-bbox="52 284 283 316">Pen Stall Opening</p>  <p data-bbox="42 730 241 755">LOWER POCKETS:</p> <ul data-bbox="42 763 556 1015" style="list-style-type: none"> - Pocket set to body with 1/4" 2N topstitch - Opening is interfaced to prevent stretching. Double turn and clean finish hem. - Pocket is lined with sherpa - Wearer's right patch pocket has 1 1/4" pen stall, set with 2 vertical bartacks. - Top edges of pocket must align evenly at center front top and bottom edges. <p data-bbox="42 1031 336 1055">Displaying 5 - 5 of 12 results</p>	<p data-bbox="1585 284 1848 316">Style Illustrated Details</p>

Documents



Image	Document Type
<p>ARMHOLES - Topstitch at 1/4" from edge.</p>  <p>SWEEP - Shaped sweep facing. - 1 Needle Lockstitch hem (ISO #301) at 1/8" and 7/8" from edges of facing. - Lining must not roll to outside when finished.</p> <p>LINING -Lining is floating.</p>	<p>Style Illustrated Details</p>
<p>Displaying 6 - 6 of 12 results</p>	

Documents

Image	Document Type
 <p data-bbox="126 349 325 430">Interior Storm Flap, Angles down 1/4" at top edge</p> <p data-bbox="136 982 619 1193"> STORM FLAP - Storm flap is inserted into the wearer's right side of the placket. - 1 Needle Lockstitch (ISO #301) topstitch flap at 1/16" from edge. - Flap is angled at top, straight at bottom. - Storm flap should extend to the bottom of the zipper garment. </p> <div data-bbox="147 1242 283 1307" style="border: 1px solid black; padding: 2px;"> last update 5/23/19 </div> <div data-bbox="1081 1185 1491 1299" style="border: 1px solid black; border-radius: 10px; padding: 5px;"> <input type="checkbox"/> SHELL FABRIC <input checked="" type="checkbox"/> SHERPA FLEECE LINING FABRIC </div>	<p data-bbox="1585 284 1848 316">Style Illustrated Details</p>

Displaying 7 - 7 of 12 results

Documents

Image	Document Type
<p style="text-align: center;">INTERIOR POCKET CONSTRUCTION.</p> <p style="text-align: center;">**GARMENT STITCHING IS NOT SHOWN**</p> <div style="display: flex; justify-content: space-between; margin-top: 20px;"> <div data-bbox="147 925 724 1307" style="border: 1px solid black; padding: 5px;"> <p>1 1/4" finish hem @ top opening edge. 1" x 1 3/4" hook & loop tape. SN edgestitch around to set tape. Clean finish side & bottom set with SN edgestitch. Vertical bartack @ opening corner centered on the SN stitchline. CF edge set into facing/ lining join seam.</p>  </div> <div data-bbox="735 925 1470 1307" style="border: 1px solid black; padding: 5px;"> <p>Double welt, clean finished zipper opening. 1/4" wide welt each side. SN edgestitch along welt to set. Bartack welt ends. Double turn clean finish edges of welt facing; SN stitch to set. Zipper @ top when closed. Clean finish sides & bottom set with SN edgestitch. CF edge set into facing/ lining join seam.</p>  <p>Overlock slant edge of pocket to finish on inside before setting to lining.</p> </div> </div>	<p>Style Illustrated Details</p>

Displaying 8 - 8 of 12 results

Documents

Image	Document Type
<p style="text-align: center;">UNLINED & LINED VESTS FOLD</p> <p style="text-align: center;">***Please see Packaging Guide for packaging placement and D&C page for polybag requirements</p>	<p>Style Folding Guide Page</p>


Displaying 9 - 9 of 12 results

Documents

Image	Document Type																		
<p>PACKAGING TEMPLATE HT1012 - OUTERWEAR - FOUNDATION 2.625" w X 4.25" h</p> <p>carhartt</p> <p>MODEL NO. DV4394-M</p> <p>WASHED DUCK SHERPA-LINED VEST</p> <p>RELAXED FIT</p> <p>WIND FIGHTER ENGINEERED TO FIGHT THE WIND</p> <p>Shield you from the wind & weather. No-stitch opening designed for easy layering. Drip-kick flaps for added coverage. Secure interior pockets.</p> <p>BUILT TO SERVE AND PROTECT ALL HARDWORKING PEOPLE</p> <p>CARHARTT.COM</p> <table border="1"> <tr> <td rowspan="4">carhartt</td> <td>DATE UPDATED:</td> <td>03/05/2024</td> <td rowspan="2">COLORS</td> <td rowspan="2"> PANTONE 6602 C PANTONE 1160 C </td> <td rowspan="4">REVISION LOG</td> </tr> <tr> <td>COMPONENT NUMBER:</td> <td>HT1012-4394V2</td> </tr> <tr> <td>FILE NAME:</td> <td>HT1012_4394V2_096394 M</td> </tr> <tr> <td>MODEL NUMBER:</td> <td>104394 M</td> </tr> <tr> <td>PRODUCT NAME:</td> <td>Relaxed Fit Washed Duck Sherpa-Lined Vest</td> <td></td> <td></td> <td></td> <td> updated construction details. All Address "No-stitch opening designed for easy layering" It will update for "washed duck sherpa-lined" - global Need to add Wind Fighter Technology & Update Tech Headline </td> </tr> </table>	carhartt	DATE UPDATED:	03/05/2024	COLORS	 PANTONE 6602 C PANTONE 1160 C	REVISION LOG	COMPONENT NUMBER:	HT1012-4394V2	FILE NAME:	HT1012_4394V2_096394 M	MODEL NUMBER:	104394 M	PRODUCT NAME:	Relaxed Fit Washed Duck Sherpa-Lined Vest				updated construction details. All Address "No-stitch opening designed for easy layering" It will update for "washed duck sherpa-lined" - global Need to add Wind Fighter Technology & Update Tech Headline	Material Artwork
carhartt		DATE UPDATED:	03/05/2024				COLORS	 PANTONE 6602 C PANTONE 1160 C	REVISION LOG										
		COMPONENT NUMBER:	HT1012-4394V2																
		FILE NAME:	HT1012_4394V2_096394 M																
	MODEL NUMBER:	104394 M																	
PRODUCT NAME:	Relaxed Fit Washed Duck Sherpa-Lined Vest				updated construction details. All Address "No-stitch opening designed for easy layering" It will update for "washed duck sherpa-lined" - global Need to add Wind Fighter Technology & Update Tech Headline														


Displaying 10 - 10 of 12 results

Documents

Image	Document Type
<p style="text-align: center;">BACK NECK LABEL CARRIER PATCH <i>Sewn, flat locker loop</i></p>  <div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div data-bbox="168 982 640 1144" style="border: 1px solid black; padding: 5px;"> <p>FLAT LOCKER LOOP</p> <ul style="list-style-type: none"> - Grosgrain ribbon trim. - Centered horizontally and vertically. - Secured with bartacks set 1/8" in from edge, folded no more than 1/2" on ends. </div> <div data-bbox="745 982 1428 1193" style="border: 1px solid black; padding: 5px;"> <p>LABEL CARRIER PATCH</p> <ul style="list-style-type: none"> - Follow dimensions on sketch. - Patch is attached in back neck with SN edgestitch along sides and bottom. - Labels are set through label stand only. Label attached with SN lockstitch around all sides. </div> </div> <p style="text-align: center; color: red; margin-top: 20px;"><i>Please follow for label stand construction only. All components are listed on the BOM. **Dimensions apply for all sizes**</i></p>	<p>Style Labeling Placement</p>

Displaying 11 - 11 of 12 results

Documents

Image	Document Type
 <p data-bbox="1218 284 1575 341">*See separate sketch for interior back neck label carrier patch*</p> <p data-bbox="945 706 1438 795">EXTERIOR LOGO LABEL - Placed 3/4" down from top edge of pocket, 3/4" in from pocket edge.</p> <p data-bbox="1008 901 1501 998">INTERIOR SIDESEAM LABEL - Folded edge is set in wearer's left side seam, placed 5 1/2" up from bottom of hem.</p>	<p data-bbox="1585 284 1869 316">Style Labeling Placement</p>

Displaying 12 - 12 of 12 results

Spec Data Sheet	Construction Details	Description	Quality	Spec Type	Construction Details
------------------------	-----------------------------	--------------------	----------------	------------------	-----------------------------

Items

Spec Item	Description	Image
Miscellaneous (1)		
Quality Spec-Woven Outerwear	- For lining and shell both: - No raw edges, skipped stitches, or pleats. - All thread tails clipped to 1/2" or less. - Shell and lining stitches per inch 9 +/-1 unless otherwise noted. - Seam and overlock stitches per inch 11 +/-1 - All bartacks are 28 or 42 stitches unless otherwise noted. - All seams internal between lining and shell unless otherwise noted. - If garment has a center front placket separating zipper, the zipper should have a right-handed pull with left-hand insert. - If garment has snaps, all snap parts must be set through at least 2 layers of shell fabric, or a layer of shell fabric plus a layer of stiffener such as interfacing or a plastic washer.	
Displaying 1 group and 1 result		

Company	Carhartt	Description	Starting S24 2D Size Chart- Washed	Tolerance	M Alpha & Numeric- Bulky
Department	Men's	Size Range	2D Men's Alpha	Grade Rule	2D Men's Alpha Tops, Bottoms, Outerwear, One Piece
Season	2025 Spring	Selected Sizes	S-3XL Reg, S-3XL Tall	Subtype	
Category	Outerwear	Base Size	M Reg		
Size Chart	S25 104394				

POMs

POM	Description	Tol (+)	Tol (-)	Length	S	M	L	XL	2XL	3XL
300.03.02	Neck Width - Seam to Seam - Wovens/Sweats/Outerwear	1/2	-1/2		7 1/8	7 1/2	7 7/8	8 1/4	8 5/8	9
305.03	Front Neck Drop - to Seam	1/4	-1/4		7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8
↳ To lowest point of V neck										
310.03	Back Neck Drop - to Seam	1/4	-1/4		7/8	1	1 1/8	1 1/4	1 3/8	1 1/2
750.01	Set-In Shoulder Slope at Edge BASE SIZE REFERENCE ONLY					1 1/2				
405.01	Across Shoulder - Edge to Edge	5/8	-5/8		15 1/4	16 1/4	17 1/4	18 1/4	19 1/4	20 1/4
410.03	Across Front - Seam to Seam X" from High Point Shoulder	1/2	-1/2		13	14	15	16	17	18
↳ X=6 1/2										
415.03	Across Back - Seam to Seam X" from High Point Shoulder	1/2	-1/2		14	15	16	17	18	19
↳ X=6 1/2										
547.01	Armhole Drop BASE SIZE REFERENCE ONLY	3/8	-3/8		12 3/8	12 1/2	12 5/8	12 3/4	12 7/8	13
500.01	Chest - at Armhole (No Pleats or Bi-Swing)	1 1/2	-1 1/2		42	46	50	54	58	62
530.01	Sweep	1 1/2	-1 1/2		41	45	49	53	57	61
600.01.03	HPS Length - Front - Sweats/Outerwear (Men)	3/4	-3/4	Reg	24 5/8	25 3/4	25 7/8	27	27 1/8	28 1/4
				Tall	26 5/8	27 3/4	27 7/8	29	29 1/8	30 1/4
660.00	Forward Shoulder Seam - from HPS	1/8	-1/8		2	2	2	2	2	2

Displaying 1 - 12 of 24 results Units: Fractions of inches Grade Rule Display: Absolute

POMs

POM	Description	Tol (+)	Tol (-)	Length	S	M	L	XL	2XL	3XL
910.03	Storm Flap Width	1/8	-1/8		1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
705.03	Droptail Height	1/8	-1/8		2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2
735.00	Physical Zipper Length (VENDOR SPECIFIES)	1/4	-1/4	Reg	16 3/4	17 3/4	17 3/4	18 3/4	18 3/4	19 3/4
				Tall	18 3/4	19 3/4	19 3/4	20 3/4	20 3/4	21 3/4
LOWER POCKETS:										
835.03.01	Pocket Placement - from Center Front (CF)	1/4	-1/4		3/4	3/4	3/4	3/4	3/4	3/4
840.00	Pocket Placement - Up from Bottom Edge	1/4	-1/4		1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
945.01.01	Split Hand Warmer Pocket - Length at Center	1/8	-1/8		9	9 1/2	9 1/2	9 1/2	9 1/2	10 1/2
945.01.02	Split Hand Warmer Pocket - Length at Side	1/8	-1/8		4	4	4	4	4	4 5/8
945.03.01	Split Hand Warmer Pocket - Width at Top	1/8	-1/8		4	4 1/2	4 1/2	4 1/2	4 1/2	5 1/2
945.03.03	Split Hand Warmer Pocket - Width at Widest	1/8	-1/8		7 3/4	8 1/4	8 1/4	8 1/4	8 1/4	9 1/4
945.03.02	Split Hand Warmer Pocket - Width at Bottom	1/8	-1/8		7	7 1/2	7 1/2	7 1/2	7 1/2	8 1/2
725.00	Hem Height	1/8	-1/8		3/4	3/4	3/4	3/4	3/4	3/4

Displaying 13 - 24 of 24 results

Units: Fractions of inches Grade Rule Display: Absolute

Style # 104394

Style Description Relaxed Fit Washed Duck Sherpa-Lined Vest

Front_Sketch



Back_Sketch



Season 2025 Spring

Department Men's

Category Outerwear

Designer Jillian Schopieray

Product Developer Carly Wright

Technical Designer Christina Dermyre

Washed ✓

Placements

Code	Product	Material Artwork Description	Supplier Quote	Supplier Code	UOM	Placement	Contractor Supplied	BLK-Black		DWD-Driftwood	
								Color	Qty by Color	Color	Qty by Color
Fabric (3)											
Duck (1)											
DU010	12oz Soft Duck		Vardhman Textiles Ltd.	A108A027 MKPT	yd	shell, interior pockets, interior label stand, interior storm flap, interior facings		BLK-Black	1.4	DWD-Driftwood	1.4
Fleece (1)											
FC127	320gm Lightweight Sherpa		Great Sourcing	KA10693/32055	yd	body & lower pocket lining		DCH-Dark Charcoal	1	DCH-Dark Charcoal	1
Interfacing (1)											
PE016	1.8oz Fusible Interlining		Precision Custom Coating LLC	CR540	yd	see illustrated details for placement		WHT-White		WHT-White	
Labels (5)											
Printed Fabric Label (3)											
Displaying 1 - 3 of 22 results											

Placements

Code	Product	Material Artwork Description	Supplier Quote	Supplier Code	UOM	Placement	Contractor Supplied	BLK-Black		DWD-Driftwood	
								Color	Qty by Color	Color	Qty by Color
LA1038	Printed Fabric Labels w/Double Face Satin Finish & Woven Edge 45mm width	GCLSAT-Global Care Label Cut Singles with woven edge	Avery Dennison		ea	Care Content/PO Season Multi-Language Label. EMEA POs only		1		1	
LA050	Printed Fabric Cut Label	PO/Season Label	Factory	Season/PO#	ea	PO #/Season label-stack behind care label - for North America POs only		1		1	
LA008	Printed Fabric Labels w/Satin Finish	SATIN-Satin	Avery Dennison		yd	Care Label for North America POs only		1		1	
Woven Label (2)											
LA1237	Woven Label	CA8-#8 Woven Label 33mm x 33mm	Finotex/Shining Label Company		ea	#8 woven label @ exterior		1		1	
LA1097	Center Back Woven Label with Fit	RELAX - Relaxed Fit Vendor Specifies Size and COO	Avery Dennison		ea	see label placement	BLK-Black	1	BLK-Black	1	
Packaging (4)											
Hang Tag (1)											
HT1012	Hang Tags	4394V2-104394 Relaxed Fit Washed Duck Sherpa-Lined Vest. Version 2	Avery Dennison		ea	Hang Tag - Updated SP25.		1		1	
Polybag (1)											
PB002	Single Pack Polybag with Suffocation Warning	Single Pack Polybag with Suffocation Warning	Factory	CLR LLDPE BAG	ea	Polybag should fit fold size garment, carton size, and standard case quantity		1		1	

Displaying 4 - 10 of 22 results

Placements

Code	Product	Material Artwork Description	Supplier Quote	Supplier Code	UOM	Placement	Contractor Supplied	BLK-Black		DWD-Driftwood	
								Color	Qty by Color	Color	Qty by Color
Sticker (1)											
SK1052	Horizontal RFID Enabled UPC Sticker Blanks	RFID - Enabled UPC Sticker for Bottoms/Outerwear Styles	Avery Dennison		ea	UPC sticker - Applied to hang tag			1		1
Swiftack/Packaging Attachment (1)											
FA057	5" Swiftach Loop	5" Swiftack Loop	Factory		ea	black loop swiftack		BLK-Black	1	BLK-Black	1
Trim (10)											
Tape (1)											
TA1066	Non Mitered Heavyweight Locker Loop		SML	TA1066	ea			BLK-Black		BLK-Black	
Thread (3)											
TH010	T-60 Core Spun Cotton Wrapped Thread		American & Efird Inc.	T-60 D-Core	yd	thread-main topstitch		*MAT*- Matching		*MAT*- Matching	
TH018	T-45 Air Entangled Polyester Thread		American & Efird Inc.	T-45 MAGIC	yd	thread-loopers		*MAT*- Matching		*MAT*- Matching	
TH006	T-60 Poly Core Poly Wrapped Thread		American & Efird Inc.	T-60 Perma Core	yd	silver label attach		SLV-Silver (W32020)		SLV-Silver (W32020)	
Velcro Hook & Loop (2)											
VC013	1" Hook		Taiwan Paiho Limited	3HA1 39A22381 25mm=1"	yd	hook-inside pocket		BLK-Black		BLK-Black	
VC034	1" Loop		Taiwan Paiho Limited	3HB1 25mm=1"	yd	loop-inside pocket		BLK-Black		BLK-Black	
Zipper (4)											

Displaying 11 - 18 of 22 results

Placements

Code	Product	Material Artwork Description	Supplier Quote	Supplier Code	UOM	Placement	Contractor Supplied	BLK-Black		DWD-Driftwood	
								Color	Qty by Color	Color	Qty by Color
ZP065	#3 Nylon Coil CE Zipper ANT DFL Pull		YKK Zippers Asia	CFC-31 DFL I	ea	interior pocket - Dark Brown shell			1		1
ZP1004	#5 Antique Nickel 9/16" OE Zipper with Logo Swing Slider		YKK Zippers Asia	RGTHOL-56 DA8CAR31 H3 P14	ea	CF zipper - black & driftwood shells		*MAT*- Matching	1	*MAT*- Matching	1
ZP1005	#5 Antique Brass 9/16" OE Zipper with Logo Swing Slider		YKK Zippers Asia	RGKBOL-56 DA8CAR31 I P14	ea	CF zipper - Dark Brown shell			1		1
ZP104	#3 Nylon Coil CE Zipper w DFL ANI Pull		YKK Zippers Asia	CFC-31 DFL H3	ea	interior pocket - black & driftwood shells		*MAT*- Matching	1	*MAT*- Matching	1

Displaying 19 - 22 of 22 results

Composition

- 100% Cotton
- (1) Shell
- ✓
- 12oz Soft Duck
- 100% Polyester
- (2) Lining
- 320gm Lightweight Sherpa

Care Instructions

Care Label	Description	Care Type
Care Label J	Exclusive Trimming, Close All Zippers, Machine Wash Cold Like Colors, Non-Chlorine Bleach, Tumble Dry Low, Do Not Use Fabric Softeners, Cool Iron, Do Not Dry Clean	All Care

Displaying 1 result