


MS Apparel
Technical Package

Date Created	4 Nov 2025
Revised	8 Dec 2025

Brand:	J.Campbell CA	Style Name:	PERFORMA SS Polo w/Woven Trim	Agent:	Shamoly	Sewing Fty:	TBD
Division:	Men's Knits	Style #:	JC-SKSP-699	Proto #:	PPS	Vendor:	Apparel Sourcing
						Grmt COO:	Bangladesh

GARMENT INFORMATION	Sketch:
Category: Men's	
Designer: James Campbell	
Tech Designer: Heidi Lawson	
Fabric Content: 88% Polyester 12% Spandex	
Fabric Weight: 180gsm	
Season: Spring 2026	
Stage: Pre-Production	
Size Range: Men's Alpha S-XL	
Colorways: Hursa Navy, Bibi Black, Quince Navy, Nicodo Navy	
Customers: ROSS	
MSA PO#'s: SP260041	
Ship Date: 03-Mar-26	
Port Date: 07-Apr-26	
Garment Description: -3 Button Polo with Collar Band/Self Collar -Printed Jersey -Contrast interior Yoke -Contrast Neck Piping	
Comments:	
Buy: 2400pcs/color - 6pc prepacks 1S - 2M - 2L - 1XL	
Submit 1st fit for approval of body in size L in close available fabric. After approved fit submit PP and TOP samples in size Large.	

Date Created	4 Nov 2025
Revised	8 Dec 2025

[illegible]

BOM Section	Product	Placement	Placement Description	Composition	Construction	Weight	Image	Common Size	Common Qty	Supplier	Comment
Fabrics											
Fabrics	Performa Stretch Jersey, Digital Print, UPF + Wicking, 180gsm	Main Body	Main Body	88% Polyester 12% Spandex	Jersey	180gsm				Vendor Sourced	
Fabrics	Performa Stretch Jersey, Solid, UPF + Wicking, 180gsm	Inner Yoke	Inner Yoke	88% Polyester 12% Spandex	Jersey	180gsm				Vendor Sourced	
Fabrics	Performa Stretch Jersey, Solid, UPF + Wicking, 180gsm	Neck Seam	1/4" Neck Tape	88% Polyester 12% Spandex	Jersey	180gsm				Vendor Sourced	
Fabrics	Fusible Interfacing	Interfacing	CF Placket, Collar Band, Collar							Vendor Sourced	Appropriate for garment
Trims											
Trims	Lux Pearl Matte CW2693, Rimmed 4H	Buttons	Collar Band (1), CF Placket (2) Extra at Care Label (1)		Rimmed			18L	4	Tiger Buttons	
Trims	603 Local Eqv. (Metric: 120, TEX: 27, 60/3) Thread	Thread	Garment							Vendor Sourced	
Trims	1/4" Clear Elastic Seam Tape	Shoulder	Shoulder Seams							Vendor Sourced	
Labels											
Labels	JCC-E008_Main Logo, Size, COO Heat Transfer	Main	Apply to Interior CB 1/4" from neck seam	100% Polyester	Heat Activated Polyester				1	Avery Dennison	
Labels	JCS Content_Care_RN_PO Satin Loop Label	Care	Set into Wearers Left Side Seam 4-1/2 inches from hem						1	Vendor Sourced	
Packaging											
Packaging	JCC-E100_HangTag	Hangtag	Thread string thru 2nd CF buttonhole and tie with knoton inside of garment		300g+300g stock weight; (C2S) Aqueous Coating - Satin Finish; Offset Print; Stipple Stock Texture				1	Vendor Sourced	
Packaging	ROSS Ticket	Ticket	Instructions will be sent with Fineline Tickets						1	Fineline	
Packaging	UPC Sticker	UPC	Set to Poly Bag bottom front right corner (1)						1	Vendor Sourced	
Packaging	Tissue Paper	Tissue	Individual folded inside shirt						1	Vendor Sourced	
Packaging	Resealable Polybag	Poly Bag	Prepack Polybag 1S - 2M - 2L - 1XL		1.25mil polyethylene bag with warning printed				1	Vendor Sourced	

BOM Section	Product	Placement	Hursa Navy		Bibi Black		Quince Navy		Nicoda Navy	
			Color	Code	Color	Code	Color	Code	Color	Code
Fabrics										
Fabrics	Performa Stretch Jersey, Digital Print, UPF + Wicking, 180gsm	Main Body		A2200-Navy		A2203-Medium Grey		A2206-Navy		A2209-Navy
Fabrics	Performa Stretch Jersey, Solid, UPF + Wicking, 180gsm	Inner Yoke	Off-White	11-4101 TCX	Off-White	11-4101 TCX	Off-White	11-4101 TCX	Navy	19-4030 TCX
Fabrics	Performa Stretch Jersey, Solid, UPF + Wicking, 180gsm	Neck Seam	Navy	19-4030 TCX	Medium Grey	14-5002 TCX	Navy	19-4030 TCX	Off-White	11-4101 TCX
Fabrics	Fusible Interfacing	Interfacing								
Trims										
Trims	Lux Pearl Matte CW2693, Rimmed 4H	Buttons	White		White		White		White	
Trims	603 Local Eqv. (Metric: 120, TEX: 27, 60/3) Thread	Thread	DTM White Ground		DTM White Ground		DTM White Ground		DTM Navy Ground	
Trims	1/4" Clear Elastic Seam Tape	Shoulder	Clear		Clear		Clear		Clear	
Labels										
Labels	JCC-E008_Main Logo, Size, COO Heat Transfer	Main	Quicksilver 17-3907 TCX	 'QUICKSILVER' 17-3907 TCX C 61, M 65, Y 63, K 50	Quicksilver 17-3907 TCX	 'QUICKSILVER' 17-3907 TCX C 61, M 65, Y 63, K 50	Quicksilver 17-3907 TCX	 'QUICKSILVER' 17-3907 TCX C 61, M 65, Y 63, K 50	Gray Cool Gray 6 C	 'GRAY' Cool Gray 6 C C 2, M 1, Y 0, K 33
Labels	JCS Content_Care_RN_PO Satin Loop Label	Care	White with Black font		White with Black font		White with Black font		White with Black font	
Packaging										
Packaging	JCC-E100_HangTag	Hangtag	Cannoli Cream / Delicate Blue / Navy Blazer		Cannoli Cream / Delicate Blue / Navy Blazer		Cannoli Cream / Delicate Blue / Navy Blazer		Cannoli Cream / Delicate Blue / Navy Blazer	
Packaging	ROSS Ticket	Ticket	White with Black font		White with Black font		White with Black font		White with Black font	
Packaging	UPC Sticker	UPC	White Sticker with Black Font		White Sticker with Black Font		White Sticker with Black Font		White Sticker with Black Font	
Packaging	Tissue Paper	Tissue	White		White		White		White	
Packaging	Resealable Polybag	Poly Bag	Clear with Brand Logo		Clear with Brand Logo		Clear with Brand Logo		Clear with Brand Logo	



MS Apparel
Technical Package

Date Created	4 Nov 2025
Revised	8 Dec 2025

Brand: J.Campbell CA	Style Name: PERFORMA SS Polo w/Woven Trim	Agent: Shamoly	Sewing Fty: TBD
Division: Men's Knits	Style #: JC-SKSP-699	Vendor: Apparel Sourcing	Grmt COO: Bangladesh
	Proto #: PPS		

Knit Stitch for this style

CONTENT: 88% Polyester 12% Spandex
CARE: Machine Wash Cold Gentle Cycle
With Like Colors
Do Not Bleach
Hang to Dry
Cool Iron if Needed
Do Not Dry Clean



MS Apparel
Technical Package

Date Created	4 Nov 2025
Revised	8 Dec 2025

Brand:	J.Campbell CA	Style Name:	PERFORMA SS Polo w/Woven Trim	Agent:	Shamoly	Sewing Fty:	TBD
Division:	Men's Knits	Style #:	JC-SKSP-699	Proto #:	PPS	Vendor:	Apparel Sourcing
				Grmt COO:	Bangladesh		


Development Samples



MS Apparel
Technical Package

Date Created	4 Nov 2025
Revised	8 Dec 2025


Brand:	J.Campbell CA	Style Name:	PERFORMA SS Polo w/Woven Trim	Agent:	Shamoly	Sewing Fty:	TBD
Division:	Men's Knits	Style #:	JC-SKSP-699	Proto #:	PPS	Vendor:	Apparel Sourcing
						Grmt COO:	Bangladesh



MS Apparel
Technical Package

Date Created	4 Nov 2025
Revised	8 Dec 2025


Brand: J.Campbell CA	Style Name: PERFORMA SS Polo w/Woven Trim	Agent: Shamoly	Sewing Fty: TBD
Division: Men's Knits	Style #: JC-SKSP-699	Proto #: PPS	Grmt COO: Bangladesh



Interior Body Construction: Joined with 514 2-Needle Overlock

SPI: 12 +/- 1 for all stitching


1. **Collar:** SN 301 1/4" Margin
2. **Forward Shoulder:** 406 2-Needle Bottom Coverstitch 1/4" Needle Gauge
3. **Collarband:** Top - SN 301 1/8" Margin, Bottom - DN 301 1/4" Needle Gauge. 1/8" Neck tape added to bottom edge of collar band. Stop trim at inside placket edge, taper to 0" at inside placket edge.
4. **Sleeve Hem:** Turn with 406 2-Needle Bottom Coverstitch 1/4" Needle Gauge
5. **Armhole:** SN 301 1/4" Margin
6. **Bottom Hem:** Turn with 406 2-Needle Bottom Coverstitch 1/4" Needle Gauge
7. **Placket:** Self faced two-piece placket SN 301 1/16" Margin. 1/4" Box Stitch bottom of placket.



MS Apparel
Technical Package

Date Created	4 Nov 2025
Revised	8 Dec 2025


Brand: J.Campbell CA	Style Name: PERFORMA SS Polo w/Woven Trim	Agent: Shamoly	Sewing Fty: TBD
Division: Men's Knits	Style #: JC-SKSP-699	Proto #: PPS	Vendor: Apparel Sourcing
			Grmt COO: Bangladesh



MS Apparel
Technical Package

Date Created	4 Nov 2025
Revised	8 Dec 2025

Brand: J.Campbell CA	Style Name: PERFORMA SS Polo w/Woven Trim	Agent: Shamoly	Sewing Fty: TBD
Division: Men's Knits	Style #: JC-SKSP-699	Proto #: PPS	Grmt COO: Bangladesh



POM Code	Dim	Critical POM	Tol (-)	Tol (+)	S	S	M	M	L	XL	XL	XXL	XXL
Body Length													
1010.3	Front Length fm HPS to Hip	TRUE	- 3/8	3/8	28	- 1/2	28 1/2	- 1/2	29	1/2	29 1/2	1/2	30
1020.3	Back Length fm HPS to Hip	TRUE	- 3/8	3/8	28	- 1/2	28 1/2	- 1/2	29	1/2	29 1/2	1/2	30
Body Width													
2008	Chest/Bust HALF - 1" down from armhole	TRUE	- 1/2	1/2	20 1/4	-1	21 1/4	-2	23 1/4	2	25 1/4	2	27 1/4
2036	Sweep HALF - straight at bottom, edge to edge	TRUE	- 1/2	1/2	19 3/4	-1	20 3/4	-2	22 3/4	2	24 3/4	2	26 3/4
7420	Shoulder Slope	FALSE	- 1/4	1/4	2	0	2	0	2	0	2	0	2
7422.1	Shoulder Forward - parallel	FALSE	- 1/4	1/4	1 1/4	0	1 1/4	0	1 1/4	0	1 1/4	0	1 1/4
2100.2	Shoulder Pt to Pt (straight/excl trim)(Slight Drop)	TRUE	- 3/8	3/8	17 1/4	- 3/4	18	-1	19	1 1/2	20 1/2	1 1/2	22
2111	Mid Armhole Position from HPS	FALSE	0	0	5 5/8	- 1/8	5 3/4	- 1/4	6	1/4	6 1/4	1/8	6 3/8
2112.2	Front Mid Armhole (Slight Drop)	FALSE	- 3/8	3/8	15 1/2	- 3/4	16 1/4	-1	17 1/4	1 1/2	18 3/4	1 1/2	20 1/4
2114.2	Back Mid Armhole (Slight Drop)	FALSE	- 3/8	3/8	16	- 3/4	16 3/4	-1	17 3/4	1 1/2	19 1/4	1 1/2	20 3/4
Sleeve/Armhole													
1050.22	CB Sleeve Length 3 pt - Short/Elbow (Slight Drop Shoulder)	TRUE	- 1/2	1/2	17 7/8	- 3/8	18 1/4	- 3/4	19	3/4	19 3/4	3/4	20 1/2
3010	Armhole Drop - from HPS to bottom of armhole, straight at right angle	TRUE	- 1/4	1/4	12	- 1/4	12 1/4	- 1/4	12 1/4	1/2	13	1/4	13 1/4
3042	Bicep/Muscle HALF - 1" down from armhole	TRUE	- 1/4	1/4	8 1/2	- 1/4	8 3/4	- 1/4	9	1/2	9 1/2	1/4	9 3/4
3120.3	Sleeve Opening HALF - Short/Elbow	TRUE	- 1/4	1/4	6 1/2	- 1/4	6 3/4	- 1/4	7	3/8	7 3/8	3/8	7 3/4
Neck													
5010	Neck Width (sm-sm)	TRUE	- 1/4	1/4	7 1/8	- 1/8	7 1/4	- 1/4	7 1/2	1/4	7 3/4	1/4	8
5020.1	Front Neck Drop (HPS to sm) =< 8"	TRUE	- 1/8	1/8	3 1/4	- 1/4	3 1/2	- 1/4	3 3/4	1/4	4	1/4	4 1/4
5030	Back Neck Drop (HPS to sm)	FALSE	- 1/8	1/8	5/8	0	5/8	0	5/8	0	5/8	0	5/8
Collar													
5128	Collar Band Length from button to end buttonhole FULL - CF to CF	TRUE	- 1/4	1/4	16 1/2	- 1/2	17	-1	18	1	19	1	20
5210	CB Collar Height fm edge to sm	FALSE	- 1/8	1/8	2	0	2	0	2	0	2	0	2
5212	CB Collar Band Height	FALSE	- 1/8	1/8	1 1/4	0	1 1/4	0	1 1/4	0	1 1/4	0	1 1/4
5213	CF Collar Band Height	FALSE	- 1/8	1/8	1	0	1	0	1	0	1	0	1
5215	Collar Point	FALSE	0	0	2 1/2	0	2 1/2	0	2 1/2	0	2 1/2	0	2 1/2
5220	Collar Spread	FALSE	- 1/8	1/8	3 1/4	0	3 1/4	0	3 1/4	0	3 1/4	0	3 1/4
5222	Tie Space	FALSE	- 1/8	1/8	1/4	0	1/4	0	1/4	0	1/4	0	1/4
Finishes/Hems													
7459.1	Back Shirt Yoke Height from CB Neck	FALSE	- 1/4	1/4	4 1/4	0	4 1/4	0	4 1/4	0	4 1/4	0	4 1/4
7010.4	Hem Height - Sleeve	FALSE	- 1/8	1/8	7/8	0	7/8	0	7/8	0	7/8	0	7/8
7010.5	Hem Height - Sweep	FALSE	- 1/8	1/8	7/8	0	7/8	0	7/8	0	7/8	0	7/8
7320	CF Placket Width - Under Placket	FALSE	- 1/8	1/8	1 1/8	0	1 1/8	0	1 1/8	0	1 1/8	0	1 1/8
7324	CF Placket Length - short	FALSE	- 1/4	1/4	6 1/4	0	6 1/4	0	6 1/4	0	6 1/4	0	6 1/4

MS Apparel
Technical Package

Date Created	8 Dec 2025
Revised	

Brand: J.Campbell CA	Style Name: PERFORMA SS Polo w/Woven Trim	Agent: Shamoly	Sewing Fty: TBD
Division: Men's Knits	Style #: JC-SKSP-699	Proto #: PPS	Grmt COO: Bangladesh

1st fit sample **APPROVED WITH CORRECTIONS**. Please submit PP sample + pattern with the following revisions/corrections. See Fit Evaluation - critical measurements are listed below.

PICTURES:



MS Apparel**Technical Package**

Date Created	8 Dec 2025
Revised	

Brand: J.Campbell CA	Style Name: PERFORMA SS Polo w/Woven Trim	Agent: Shamoly	Sewing Fty: TBD
Division: Men's Knits	Style #: JC-SKSP-699	Proto #: PPS	Vendor: Apparel Sourcing
			Grmt COO: Bangladesh

FIT:

- 1 Collar roll is at band seam should be max of 1/4". Sample roll measures 1/2" and collar does not cover collar band seam in back. Pls correct.
- 2 Collar spread is over spec - improve shape
- 3 Neck is gathered in at seam join to body - improved

MEASUREMENTS:

- 1 Shoulder forward spec revised to better match sample. See spec.
- 2 Armhole drop is lower than original spec. Pattern measures lower than spec. Fit is ok on Mr. Campbell, increasing spec.
- 3 Neck width and collar spread do not meet spec. Correct for PPS.
- 4 Assure all measurements meet spec.
- 5 Check measurements on sketch

CONSTRUCTION/MATERIALS:

- 1 Inside neck tape is too wide. Reduce trim height to 1/8".
- 2 Inside neck tape should stop/taper to 0 at inside edge of placket and not run to CF edge. Correct construction.
- 3 Neck is gathered on sample. Improve handling and machine settings to improve so seam is flat and smooth around neck.
- 4 Collarband button is set too high - center in band height
- 5 Collarband buttonhole is set too far from edge - align with CF buttons.
- 6 Collarband rolls down at CF - improve construction
- 7 Hem is not flat and smooth - improve construction
- 8 Sample marked as color Bibi Medium Grey, that this is a Blue colorway - not correct.
- 9 Labeling is incorrect in sample / substitute.
- 10 Packaging/Hangtag was missing on sample.

MS Apparel
Technical Package

Date Created	8 Dec 2025
Revised	

Brand: J.Campbell CA	Style Name: PERFORMA SS Polo w/Woven Trim	Agent: Shamoly	Sewing Fty: TBD
Division: Men's Knits	Style #: JC-SKSP-699	Proto #: PPS	Grmt COO: Bangladesh



Collarband button is set too high - center in band height



Collarband buttonhole is set too far from edge - align with CF buttons.



Collar roll is at band seam should be max of 1/4". Sample roll measures 1/2" and collar does not cover collar band seam in back.




Collarband rolls down at CF - improve construction



Inside neck tape is too wide. Reduce trim height to 1/8".

Inside neck tape should stop/ taper to 0 at inside edge of placket and not run to CF edge. Correct construction



Brand: J.Campbell CA	Style Name: PERFORMA SS Polo w/Woven Trim	Agent: Shamoly	Sewing Fty: TBD
Division: Men's Knits	Style #: JC-SKSP-699 PO #: SP260041	Vendor: Apparel Sourcing	Grmt COO: Bangladesh

Date Measured:

Sample Size: L

Unit of Measure: Inch

POM #	POM Name	Tol +	Tol -	1ST PROTO Spec	Sample Measured	Diff + / -	Measurement Comment	Revised Spec PPS	Sample Measured	Diff + / -	Measurement Comment	Revised Spec TOP	Sample Measured	Diff + / -	Measurement Comment
Body Length															
1010.3	Front Length fm HPS to Hip	- 3/8	3/8	29	29 1/4	1/4		29							
1020.3	Back Length fm HPS to Hip	- 3/8	3/8	29	29 1/4	1/4		29							
Body Width															
2008	Chest/Bust HALF - 1" down from armhole	- 1/2	1/2	23 1/4	23 1/8	- 1/8		23 1/4							
2036	Sweep HALF - straight at bottom, edge to edge	- 1/2	1/2	22 3/4	22 3/4	0		22 3/4							
7420	Shoulder Slope	- 1/4	1/4	2	1 7/8	- 1/8		2							
7422.1	Shoulder Forward - parallel	- 1/4	1/4	1/4	1 3/8	1 1/8	Revised spec	1 1/4							
2100.2	Shoulder Pt to Pt (straight/excl trim)(Slight Drop)	- 3/8	3/8	19	18 5/8	- 3/8		19							
2111	Mid Armhole Position from HPS	0	0	6	6	0		6							
2112.2	Front Mid Armhole (Slight Drop)	- 3/8	3/8	17 1/4	17 1/8	- 1/8		17 1/4							
2114.2	Back Mid Armhole (Slight Drop)	- 3/8	3/8	17 3/4	17 1/2	- 1/4		17 3/4							
Sleeve/Armhole															
1050.22	CB Sleeve Length 3 pt - Short/Elbow (Slight Drop Shoulder)	- 1/2	1/2	19	19	0		19							
3010	Armhole Drop - from HPS to bottom of armhole, straight at right angle	- 1/4	1/4	11 1/2	12 3/4	1 1/4	Revised spec	12 1/2							
3042	Bicep/Muscle HALF - 1" down from armhole	- 1/4	1/4	9	8 3/4	- 1/4		9							
3120.3	Sleeve Opening HALF - Short/Elbow	- 1/4	1/4	7	7	0		7							
Neck															
5010	Neck Width (sm-sm)	- 1/4	1/4	7 1/2	7	- 1/2	Meet spec	7 1/2							
5020.1	Front Neck Drop (HPS to sm) =< 8"	- 1/8	1/8	3 3/4	3 3/4	0		3 3/4							
5030	Back Neck Drop (HPS to sm)	- 1/8	1/8	5/8	1/2	- 1/8		5/8							
Collar															
5128	Collar Band Length from button to end buttonhole FULL - CF to CF	- 1/4	1/4	18	18 1/4	1/4		18							
5210	CB Collar Height fm edge to sm	- 1/8	1/8	2	2	0		2							
5212	CB Collar Band Height	- 1/8	1/8	1 1/4	1 1/8	- 1/8		1 1/4							
5213	CF Collar Band Height	- 1/8	1/8	1	1	0		1							
5215	Collar Point	0	0	2 1/2	2 1/2	0		2 1/2							
5220	Collar Spread	- 1/8	1/8	3 1/4	3 1/2	1/4	Meet spec	3 1/4							
5222	Tie Space	- 1/8	1/8	1/4	1/4	0		1/4							
Finishes/Hems															
7459.1	Back Shirt Yoke Height from CB Neck	- 1/8	1/8	4 1/4	4 3/8	1/8		4 1/4							
7010.4	Hem Height - Sleeve	- 1/8	1/8	7/8	7/8	0		7/8							
7010.5	Hem Height - Sweep	- 1/8	1/8	7/8	7/8	0		7/8							
7320	CF Placket Width - Under Placket	- 1/4	1/4	1 1/8	1 1/8	0		1 1/8							
7324	CF Placket Length - short	- 1/4	1/4	6 1/4	6	- 1/4		6 1/4							